



2 COIN LOCK

A multifunction model that allows for multiple applications and is therefore an ideal choice for managers and users.




OJMAR OJMAR





FREE SELECTION 2 COIN LOCK



The lock is designed to operate with 2 different coins. The user can choose which coin to insert and therefore does not have to worry about having to have a particular coin.

It is a big advantage in facilities worried about having to constantly give change or in areas near the border where different coins coexist.

REFERENCES

DRY AREA USE				WET AREA US
				STANDARD K
	RIGHT	LEFT		RIGHT
REF.	40.0B001M	40.5B001M		40.2B001M

WET AREA USE				
STANDARD	KEYS	SECURITY KEYS		
RIGHT	LEFT	RIGHT	LEFT	
40.2B001M	40.7B001M	40.1B001M	40.6B001M	


YOU HAVE TO SPECIFY: COIN / LANGUAGE







COIN LOCK USE OF 2 COINS



The lock requires inserting 2 coins to work. It is useful in situations where a deposit is important to prevent people from personalising lockers (in the case of locks for wet areas, penalties are higher with the use of the anti-reservation key).

REFERENCES

DRY AREA USE		WET AREA USE					
			STANDARD	KEYS	SECURITY K	EYS	
	RIGHT	LEFT	RIGHT	LEFT	RIGHT	LEFT	
REF.	40.0B002M	40.5B002M	40.2B002M	40.7B002M	40.1B002M	40.6B002M	

YOU HAVE TO SPECIFY: COIN / LANGUAGE




LOCKR MULTIFUNCTION · LOCKING SOLUTIONS FOR LOCKERS OJMAR





2 COIN LOCK USE OF 2 COINS PAYMENT WITH 1



The user should insert 2 coins. At the end of use, pressing the return button returns 1 coin and the other stays in the coin collecting box.

The user can open and close the locker as many times as necessary without having to pay again until the user activates the coin return mechanism (pressing the button).

The big advantage of this model lies in the installation being able to recover the lock and locker costs in a relatively short space of time and subsequently raise additional revenue from the lockers to cover maintenance etc.

3 boxes available depending on the required capacity (see accessory section)

Built in box: capacity for approximately 8 coins.

 $\label{eq:Medium sized box: Capacity for approximately 50 coins.}$

Large-sized box: Capacity for approximately 100 coins.

2 COINS. USE OF 2 COINS PAYMENT WITH 1. BUILT IN BOX

DRY AREA USE		WET AREA USE					
				STANDARD P	(EYS	SECURITY KE	EYS
	RIGHT	LEFT		RIGHT	LEFT	RIGHT	LEFT
REF.	40.0C1001M	40.5C1001M		40.2C1001M	40.7C1001M	40.1C1001M	40.6C1001M

2 COINS. USE OF 2 COINS PAYMENT WITH 1. COIN COLLECTING BOX

	ZAMAK		BRASS			
			STANDARD I	KEYS	SECURITY KE	EYS
	RIGHT	LEFT	RIGHT	LEFT	RIGHT	LEFT
REF.	40.0R1001M	40.5R1001M	40.2R1001M	40.7R1001M	40.1R1001M	40.6R1001M









2 COIN LOCK USE OF 2 COINS, PAYMENT WITH 2

Users have to insert 2 coins to operate the lock. Both coins are retained in the collecting box as payment. Ideal for events or facilities where a higher fee is necessary for using the lockers.

2 boxes available depending on the required capacity (see accessory section)

Medium sized box: Capacity for approximately 50 coins.

Large-sized box: Capacity for approximately 100 coins.

2 COINS. USE OF 2 COINS WITH PAYMENT. FOR COIN COLLECTING BOX

	ZAMAK		BRASS			
			STANDARD K	(EYS	SECURITY KE	EYS
	RIGHT	LEFT	RIGHT	LEFT	RIGHT	LEFT
REF.	40.0R1002M	40.5R1002M	40.2R1002M	40.7R1002M	40.1R1002M	40.6R1002M

YOU HAVE TO SPECIFY: COINS / COIN TO BE COLLECTED / LANGUAGE / COIN COLLECTING BOX.



6 LOCKR MULTIFUNCTION · LOCKING SOLUTIONS FOR LOCKERS








2 COIN LOCK MAIN FEATURES

MODEL

DRY AREA USE



WET AREA USE

WET AREA USE

		STANDARD	SECURITY
MAIN FEATURES			
CYLINDER	10 wafer Interchangeable cylinder	Interchangeable Solid Brass core with 6	Interchangeable Solid Brass core with 6
		pins in stainless steel.	pins in stainless steel.
DIFFERS	Up to 4000	Up to 1600	Up to 1600
KEY	Standard round head and reversible	Standard	Security reversible key
ANTI-RESERVATION MASTER KEY	No	Yes	Yes
ANTI-KEYNBREAKAGE SYSTEM	No	Yes	Yes
EXCLUSIVE PROFILES	No	No	Yes
COIN RETURN BUTTON	Yes	Yes	Yes
COLOUR			
	Black Lock body, Aluminium coin slot and	Painted Aluminium Casing, Black Entry	Painted Aluminium Casing, Black Entry
	Button, Silver Adhesive	and Button, Silver Adhesive	and Button, Silver Adhesive
MATERIALS			
CASING	Polycarbonate + ABS, High impact and	Polycarbonate + ABS, High impact and	Polycarbonate + ABS, High impact and
5, 5, 1, 1	torsion resistance	torsion resistance	torsion resistance
INTERNAL PARTS	Die cast	Die cast	Die cast
CYLINDER	Die cast	Chrome plated brass	Chrome plated brass
KEY	Nickel plated brass	Nickel plated brass	Nickel plated argentan alloy
SPRINGS	Stainless Steel	Stainless Steel	Stainless Steel
			Otamicos otost
DIMENSIONS	L	L	L
LOCK BODY DIMENSION	Length 110mm	Length 110mm	Length 110mm
	Height 145mm	Height 145mm	Height 145mm
	Width 21mm	Width 21mm	Width 21mm
SHOOT DIMENSION	25x5mm	25x5mm	25x5mm
MINIMUM – MAXIMUM DOOR THICKNESS	1mm – 23mm	1mm – 23mm	1mm – 23mm
LATCH STROKE	15.5mm	15.5mm	15.5mm
FIXING HOLES	93.5mm x 93.5mm	93.5mm x 93.5mm	93.5mm x 93.5mm
CYLINDER HOLE	Ø23	Ø23	Ø23
SCREW FIXING HOLE	M5 PAN HEAD	M5 PAN HEAD	M5 PAN HEAD
KEY THICKNESS	2.5mm	2mm	2.3 mm
COIN			
MINIMUM - MAXIMUM DIAMETER	20mm – 30mm	20mm – 30mm	20mm - 30mm
MINIMUM - MAXIMUM THICKNESS	1 mm - 3.5 mm	1 mm – 3.5 mm	1 mm – 3.5 mm
€ AREA COINS	5 cents, 10 cents, 20 cents, 50 cents, 1€,	5 cents, 10 cents, 20 cents, 50 cents, 1€,	5 cents, 10 cents, 20 cents, 50 cents, 1€,
2 2 2	2€	2€	2€
£ AREA COINS	20p, 50p, 1£, 2£	20p, 50p, 1£, 2£	20p, 50p, 1£, 2£
MECHANICAL REQUIREMENTS			
Nº CYCLES	60,000 Machine cycles according to LGA	60,000 Machine cycles according to LGA	60,000 Machine cycles according to LGA

OJMAR OJMAR





CARD AND COIN OPERATED LOCK COIN PAYMENT





As with the combined card and coin model, the member inserts his/her card and occasional users a coin, the difference being that the coin is retained.

A unique model on the market that allows for giving the member customer an exclusive status compared to occasional users who have to pay to use the locker

3 boxes available depending on the required capacity (see accessory section)

Built in box: Capacity for approximately 8 coins.

Medium sized box: Capacity for approximately 50 coins.

Large-sized box: Capacity for approximately 100 coins.

CARD AND COIN. COIN COLLECT WITH BUILT IN BOX

ZAMAK		BRASS
	-	STANDAR
RIGHT LEFT	-	RIGHT
40.0C100TM 40.5C100TM		40.2C100T

-					
	BRASS				
	STANDARD P	(EYS	SECURITY KEYS		
	RIGHT	LEFT	RIGHT	LEFT	
	40.2C100TM	40.7C100TM	40.1C100TM	40.6C100TM	

YOU HAVE TO SPECIFY: COINS / LANGUAGE.

CARD AND COIN. COIN COLLECT. FOR COIN COLLECTING BOX

BRASS	
STANDARD KEYS	SECURITY KEYS
RIGHT LEFT	RIGHT LEFT
40.2R100TM 40.7R100TM	40.1R100TM 40.6R100TM
	STANDARD KEYS




YOU HAVE TO SPECIFY: COINS / LANGUAGE / COIN COLLECTING BOX.

CARD AND COIN OPERATED LOCK. MAIN FEATURES










MODEL	DRY AREA USE	WET AREA USE	WET AREA USE
		STANDARD	SECURITY
MAIN FEATURES			
CYLINDER OR CAM	Interchangeable 10 wafer cylinder	Interchangeable solid brass core with 6	Interchangeable Solid brass core with 6
	,	pins in stainless steel.	pins in stainless steel.
COMBINATIONS	Up to 4000	Up to 1600	Up to 1600
KEY	Standard round head and reversible	Standard	Reversible security key
ANTI-RESERVATION MASTER KEY	No	Yes	Yes
ANTI-BREAKAGE SYSTEM	No	Yes	Yes
EXCLUSIVE PROFILES	No	No	Yes
COIN RETURN BUTTON	No	No	No
COLOUR			
COLOUR	Black Lock body, Aluminium coin slot and	Painted Aluminium Casing, Black Entry	Painted Aluminium Casing, Black Entry
	Button, Silver Adhesive	and Button, Silver Adhesive	and Button, Silver Adhesive
MATERIALS			
MATERIALS LOCK BODY	Debugge ADC High impact of	Deliverable ADC High installed	Delivered and ADC High improved as I
TOCK BODA	Polycarbonate + ABS, High impact and	Polycarbonate + ABS, High impact and	Polycarbonate + ABS, High impact and
NITEDALLI DADTO	torsion resistance	torsion resistance	torsion resistance
INTERNAL PARTS	Zamak	Zamak	Zamak
CYLINDER OR CAM	Painted Zamak	Chrome plated brass	Chrome plated brass
KEY	Nickel plated brass	Nickel plated brass	Nickel plated argentan alloy
SPRINGS	Stainless Steel	Stainless Steel	Stainless Steel
DIMENSIONS			
LOCK BODY DIMENSION	Length 110 mm	Length 110 mm	Length 110 mm
	Height 142 mm	Height 142 mm	Height 142 mm
	Width 21 mm	Width 21 mm	Width 21 mm
SHOOT DIMENSION	25x5mm	25x5mm	25x5mm
MINIMUM – MAXIMUM DOOR THICKNESS	1mm – 23mm	1mm – 23mm	1mm – 23mm
LATCH STROKE	15.5mm	15.5mm	15,5mm
	93.5mm x 93.5mm	93.5mm x 93.5mm	93.5mm x 93.5mm
FIXING HOLES			
CYLINDER FIXING HOLE	Ø23	Ø23	Ø23
SCREW FIXING HOLE	M5 PAN HEAD	M5 PAN HEAD	M5 PAN HEAD
KEY THICKNESS	2.5mm	2mm	2.3mm
CARD			
DIMENSIONS	According to Standard ISO 7810	According to Standard ISO 7810	According to Standard ISO 7810
ADAPTABLE TO PAPER CARD	Yes	Yes	Yes
COIN			
MINIMUM – MAXIMUM DIAMETER	20mm – 30mm	20mm – 30mm	20mm – 30mm
MINIMUM – MAXIMUM THICKNESS	1mm – 3.5mm	1mm – 3.5mm	1mm – 3.5mm
€ AREA COINS	5 cents, 10 cents, 20 cents, 50 cents, 1€,	5 cents, 10 cents, 20 cents, 50 cents, 1€,	5 cents, 10 cents, 20 cents, 50 cents, 1€,
O AILLA CUINS	2€	2€	2€.
C ADEA COINC			20
£ AREA COINS	20p, 50p, 1£, 2£	20p, 50p, 1£, 2£	20p, 50p, 1£, 2£
MECHANICAL REQUIREMENTS			
Nº CYCLES	60,000 Machine cycles according to LGA	60,000 Machine cycles according to LGA	60,000 Machine cycles according to LGA

LOCKR MULTIFUNCTION · LOCKING SOLUTIONS FOR LOCKERS **OJMAR**



ACCESSORIES COIN COLLECTING BOX





MODEL	MEDIUM-SIZED	LARGE-SIZED
MAIN FEATURES		
CYLINDER	5 pins in stainless steel	5 pins in stainless steel
KEY	Standard	Standard
KEY PROFILE	Different to the lock's profiles	Different to the lock's profiles
COLOUR	Dry Area Model: Black Box	Dry Area Model: Black Box
	Wet Area Model: Aluminium Box	Wet Area Model: Aluminium Box
MATERIALS		
BOX AND SUPPORT	Die cast	Die cast
CAM AND CYLINDER	Chrome plated brass	Chrome plated brass
KEY	Nickel plated steel	Nickel plated steel
SPRINGS	Stainless Steel	Stainless Steel
DIMENSIONS		
BOX DIMENSION	Length, 110 mm	Length 110 mm
	Height 104 mm	Height 104 mm
	Width 21 mm	Width 46 mm
DIMENSION COIN LOCK WITH COIN	Length, 110 mm	Length 110 mm
COLLECTING BOX	Height 197 mm MOD: 1 Coin	Height 197 mm MOD: 1 Coin
	Height 200 mm MOD: 2 Coins	Height 200 mm MOD: 2 Coins
	Width 21 mm	Width 46 mm
BOX SCREW ANCHOR	M4 COUNTERSUNK	M4 COUNTERSUNK
KEY THICKNESS	2 mm	2 mm
ESTIMATED CAPACITY (€1)	50 Coins	100 Coins

COIN COLLECTING BOX SHOWN MODEL 40CM.

COIN COLLECTING BOX

	DRY AREA USE		WET AREA USE		
	MEDIUM-SIZED	LARGE-SIZED	MEDIUM-SIZED	LARGE-SIZED	
REF.	40.CMNE	40.CGNE	40.CMAL	40.CGAL	

BRACELET

©\$\$ ©\$\$ ©\$


BRACELET			
SPECIFICATIONS			
MATERIAL	TPE		
DIMENSIONS	10 x 26 mm		
CLOSED BRACELET	Ø 27 mm		
APPROXIMATE ADAPTABILITY	15 to 26 mm		
NUMBERING	Laser		
COLORS	• • • • • •		
	Blue	_	
	Red		
	Yellow		
	Green	20	
	Orange		
	Black		
	Grey		
	White		

LOCKR MULTIFUNCTION · LOCKING SOLUTIONS FOR LOCKERS


TECHNICAL DRAWINGS


2 COIN LOCK






2 COIN LOCK. COIN COLLECTING BOX





CARD or COIN LOCK















Polígono Industrial de Lerun, s/n 20870 Elgoibar · Spain T. +34 943 748484 www.ojmar.com









